



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH),
GHS Rev 04 (2011): US, OSHA, CMA, ANSI
WHS Regulations Australia,
JIS Z 7253 (2012): Japan

CubePro® Nylon filament
Revision Date: 28 January 2015

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 Identification of the substance or preparation: Nylon filament

1.2 Use of the substance / preparation: For use with the CubePro® 3D Printer

1.3 Company/undertaking identification:

3D Systems, Inc.
333 Three D Systems Circle
Rock Hill, South Carolina
U.S.A.
Phone: 803.326.3900 or
Toll-free Phone:
800.793.3669
e-mail:
moreinfo@3dsystems.com
Chemical Emergency:
800.424.9300 – Chemtrec

3D Systems Europe Ltd.
Mark House, Mark Road
Hemel Hempstead
Herts HP2 7
United Kingdom
Phone: +44 144-2282600
e-mail:
moreinfo@3dsystems.com
Chemical Emergency:
+1 703.527.3887 -
Chemtrec

3D Systems / Australia
5 Lynch Street
Hawthorn, VIC 3122
+1 03 9819-4422
e-mail:
moreinfo@3dsystems.com
Chemical Emergency:
+(61) 29037.2994 – Aus
Chemtrec

3D Systems Japan K.K.
Ebisu Garden Place Tower 27F
4-20-3, Ebisu, Shibuya-ku, Tokyo
50-6027 Japan
Telephone No. +81-3-5798-2500
e-mail:
moreinfo@3dsystems.com
Chemical Emergency
+(81)-345209637 – Chemtrec

2. HAZARDS IDENTIFICATION


2.1 Classification: Not classified according to GHS, Regulation (EC) No. 1272/2008, HazCom 2012.

2.2 Label Elements

Regulation (EC) No, 1272/2008:

Hazard pictograms and signal word: None

Hazard statements: None



NFPA Ratings
0 = Minimal
1 = Slight
2 = Moderate
3 = Serious
4 = Severe

Hazardous Materials Identification System (HMIS):

(Degree of hazard: 0 = low, 4 = extreme);

Health **0**
Flammability **0**
Physical Hazards **0**

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Preparation related information

Description: Polyamide

4. FIRST AID MEASURES

4.1 In case of inhalation: Fumes released from overheated material may cause respiratory irritation. In case of inhaling dense smoke, move affected person to fresh air. If respiratory irritation occurs or breathing becomes difficult seek medical attention immediately.

4.2 In case of skin contact: If molten material gets on skin, cool rapidly with cold water. Do not attempt to peel material from skin. Use mineral oil to loosen the material. Seek medical attention for burns.

4.3 In case of eye contact: Flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms persist.

4.4 In case of ingestion: Ingestion is unlikely. If ingested, drink plenty of water and seek immediate medical attention. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media: Water mist, dry chemical, carbon dioxide, or appropriate foam.

5.2 Extinguishing media which must not be used for safety reasons: -



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH),
GHS Rev 04 (2011): US, OSHA, CMA, ANSI
WHS Regulations Australia,
JIS Z 7253 (2012): Japan

CubePro® Nylon filament
Revision Date: 28 January 2015

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases: During a fire, combustion products including but not limited to carbon monoxide, carbon dioxide, ammonia, aliphatic amines, ketones, nitriles and hydrogen cyanide may be emitted.

5.4 Special protective equipment for fire-fighters: Use self-contained breathing apparatus. Use water spray to keep fire-exposed containers cool. Dust is not expected to be generated in the event of a fire.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions: Wear appropriate protective equipment and clothing.

6.2 Environmental precautions: Keep out of irrigation ditches, sewers and water supplies.

6.3 Methods for cleaning up: Sweep up and dispose of properly.

7. HANDLING AND STORAGE

7.1 Handling: Avoid contact with skin and eyes. Do not allow to enter drains or watercourses.

7.2 Storage: Store sealed in the original container at room temperature.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Although some of the additives used in this product may have exposure guidelines, these additives are encapsulated in the product and no exposure would be expected under normal handling conditions.

8.1 Exposure limit values:

No occupational exposure limits (PEL/TWA) have been established for this product.

8.2 Exposure controls:

Technical measures to prevent exposure: Good general ventilation should be sufficient for normal operation.

Personal protection equipment: If product is used as intended, no personal protective equipment is required.

Respiratory protection: NA

Eye protection: NA

Body protection: NA

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance:

Physical state: Solid filament

Colour: White, black, natural

Odour: Odourless

9.2 Important health, safety and environmental information

Safety relevant basic data

pH (20 °C):	NA
Melting point (°C):	216
Boiling point/range (°C):	NA
Flash point (°C):	NA
Ignition temperature (°C):	NA
Vapour pressure (°C):	NA
Density (g/cm³):	1.084
Bulk density (kg/m³):	NA
Water solubility (20 °C in g/l):	Insoluble
Partition coefficient:	NA
n-Octanol/Water (log Po/w):	NA
Viscosity, dynamic (mPa s):	NA
Dust explosion hazard:	NA
Explosion limits:	NA



Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH),
GHS Rev 04 (2011): US, OSHA, CMA, ANSI
WHS Regulations Australia,
JIS Z 7253 (2012): Japan

CubePro® Nylon filament
Revision Date: 28 January 2015

10. STABILITY AND REACTIVITY

10.1 Conditions to avoid: Temperatures over the decomposition temperature of >290° C. These temperatures are not encountered in normal operations.

10.2. Hazardous decomposition products: At high temperatures or upon burning, thermal decomposition products including but not limited to carbon monoxide, carbon dioxide, ammonia, aliphatic amines, ketones, nitriles and hydrogen cyanide may be emitted.

11. TOXICOLOGICAL INFORMATION

11.1 Toxicokinetics, metabolism and distribution: NA

11.2 Acute effects (toxicity tests)

Acute toxicity: NA

Oral LD50: NA

Irritant and corrosive effects: NA

Irritation to respiratory tract: NA

Sensitisation: NA

11.3 Experiences made in practice

Observations relevant to classification: -

Other observations: -

11.4 General remarks:

Carcinogenicity: None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP

12. Ecological information

12.1 Ecotoxicity: Not expected to be acutely toxic, but if ingested by waterfowl or aquatic life, may mechanically cause adverse effects.

12.2 Mobility: No bioconcentration is expected because of the high molecular weight (MW>1000). In the terrestrial environment, material is expected to remain in the soil. In the aquatic environment material will sink and remain in the sediment.

12.3 Persistence and degradability: This water insoluble polymeric solid is expected to be inert in the environment. Surface degradation is expected with exposure to sunlight. No appreciable biodegradation is expected.

12.4 Results of PBT assessment: No information available for product

12.5 Other adverse effects: No information available for product

13. DISPOSAL CONSIDERATIONS

13.1 Appropriate disposal / Product: Do not dump into any sewers, on the ground, or into any body of water. All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with appliance laws are the responsibility solely of the waste generator.
For unused & uncontaminated product, the preferred options include sending to a licensed, permitted recycler, reclaim, incinerator or other thermal destruction device.

13.2 Waste codes / waste designations according to EWC / AVV:

14. TRANSPORT INFORMATION

14.1 Land transport (ADR/RID/GGVSE): Not regulated

14.2 Sea transport (IMDG-Code/GGVSee): Not regulated

14.3 Air transport (ICAO-IATA/DGR): Not regulated



Safety Data Sheet
according to Regulation (EC) No 1907/2006 (REACH),
GHS Rev 04 (2011): US, OSHA, CMA, ANSI
WHS Regulations Australia,
JIS Z 7253 (2012): Japan

CubePro® Nylon filament
Revision Date: 28 January 2015

15. REGULATORY INFORMATION

15.1 EU regulations

EINEC/ELINCS/NLP: All materials are listed
REACH Annex XVII: None listed

15.2 US FEDERAL

TSCA: All materials are listed on the TSCA Inventory or are not subject to TSCA requirements:
California Proposition 65: This product does not contain chemicals which are known to the state of California to cause cancer, birth, or any other reproductive defects.

15.3 Australian regulations

SUSDP, Industrial Chemicals Act 1989:
Australian Inventory of Chemical Substances, AICS: Listed

15.4 Japanese regulations

Chemical Risk Information platform (CHRIP):	Listed
Industrial Health and Safety Law	not applicable
Hazardous material	not applicable
Organic solvent poison prevention rule	not applicable
Ordinance on prevention of hazard due to specified chemical substances	not applicable
Lead Poisoning Prevention Rule	not applicable
Poison and Deleterious Substance Control law	not applicable
PRTR and Promotion of Chemical Management law (PRTR Law)	no listed components
Fire Services Act	not applicable
Explosives Law	not applicable
High pressure gas safety law	not applicable
Export Trade Control Order	not applicable
Waste Disposal and Public Cleaning Law	not applicable

16. OTHER INFORMATION

SDS Creation Date:October 30, 2014
SDS Revision #:01-A
SDS Revision Date:January 28, 2015
Reason for Revision:.....Update Section 15

www.3dsystems.com

800.793.3669 (Toll-free in the US GMT-07:00; N. America, Mon – Fri, 6:00 a.m. to 6 p.m.)
803.326.3900 (Outside the U.S. GMT-07:00; N. America, Mon – Fri, 6:00 a.m. to 6 p.m.)
+44 144-2282600 (Europe GMT+01:00; Mon – Fri, 08:00 a.m. - 17:00 p.m. MEZ)

DISCLAIMER OF LIABILITY: The following supersedes any related provision in your company's forms, letters, and agreements from, by or with 3D Systems Corporation. 3D Systems Corporation makes no warranty, whether expressed or implied, including warranties of merchantability or of fitness for a particular purpose for this product. No statements or recommendations contained in the product literature are to be construed as inducements to infringe any relevant patent now or hereafter in existence. Under no circumstances shall 3D Systems Corporation be liable for incidental, consequential, special, or other damages from alleged negligence, breach of warranty, strict liability or any other theory, arising out of the manufacture, use, sale, or handling of this product. In no event shall the liability of 3D Systems Corporation for any claims arising out of the manufacture, use, handling, or sale of its products exceed an amount equal to the buyer's purchase price.

The contents of this safety data sheet are subject to change without notice. 3D Systems, Inc. recommends that you periodically check www.3dsystems.com to make sure you are using the most current safety data sheet.

© Copyright 2014-2015 by 3D Systems, Inc. All rights reserved. The 3D logo and CubePro are registered trademarks of 3D Systems, Inc.